

Product Type: Heavy-duty Connector Inserts

Product Name:SD-128-MC

Product Description: SD Series,128-pole,Ground,Male,Crimp connection

Product Size





Parameters

SUPU ID	SD-128-MC
Number of connections	128
Operating temperature range	-40°C～+125°C
Color	Grey

Core number	128
Category	Male Insert
Connection method	Crimp terminal
Mechanical endurance	≥500

Technical data

IEC Rated Current	10A
IEC Rated Voltage	250V
Degree of pollution	3
Contact/surface material	Copper Alloy/Hard-gold, Hard-silver Plated
Contact carrier material	PC
Sealing material	NBR
Insulation resistance	≥1010Ω
Contact resistance	≤3mΩ
Rated pulse voltage	4KV
Wire Specification	0.14-2.5mm^2/26-14 AWG

Commercial data

Order No	SD-128-MC
Packing unit	PCS
Minimum order quantity	1

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,
Cixi City, Zhejiang Province, China
Zip code: 315303
Switchboard: +86 574-63288158
Fax: +86 574-63288170
E-mail:supucontact@supu.cn
Service Hotline: 400-626-6336

Wechat

The right to modify data belongs to SUPU.