




Product Type: Din rail power supply

Product Name:SDP2-1AC24-240

Product Description: Single phase full range, 24V/240W, DC OK remote monitoring, DIN 35 rail mounting

Product Size



Parameters

| | |
|-------------------------------|---|
| ☞ SUPU ID | SDP2-1AC24-240 |
| ☞ Protection Level | IP20 |
| ☞ Operating temperature range | -40~+70°C |
| ☞ Terminal block | MC-TC5.0H2P-BK MC-TC5.0H3P-BK-0001-RZ MC-TC5.0H4P-BK-0001 |
| ☞ DC OK | Yes |
| ☞ Dimensions(mm) | 127 * 125* 40 |

Technical data

| | |
|----------------------|--|
| ☞ IEC Rated Current | 3.8A |
| ☞ IEC Rated Voltage | AC:264V DC:370V |
| ☞ Nominal input | AC、DC |
| ☞ Efficiency | 93% |
| ☞ Ripple noise | 120mVp-p |
| ☞ Input frequency | 63HZ |
| ☞ Peak load capacity | 150% |
| ☞ Withstand voltage | I/P-O/P : 3000Vac.60S,≤10mA I/P- PE : 1500Vac.60S,≤10mA O/P- PE : 700VDC.60S,≤10mA |
| ☞ Working altitude | ≤3000m |

Commercial data

| | |
|--------------------------|----------------|
| ☞ Order No | SDP2-1AC24-240 |
| ☞ Packing unit | PCS |
| ☞ Minimum order quantity | 1 |
| ☞ Single piece weight | 0.74KG |

Ningbo SUPU Electronics Co., Ltd.

Address: No. 150, Xinxing 4th Road, High-tech Industrial Development Zone,
Cixi City, Zhejiang Province, China

Zip code: 315303

Switchboard: +86 574-63288158

Fax: +86 574-63288170

E-mail:supucontact@supu.cn

Service Hotline: 400-626-6336



Wechat

Date:2026-06-13 13:09

The right to modify data belongs to SUPU.